INDEX TO AUTHORS

ABRAMSON, HAROLD A. Electrokinetic phenomena. I. The adsorption of serum proteins by quartz and paraffin oil, 169

—. II. The factor of proportionality for cataphoretic and electroendosmotic mobilities, 657

ADAIR, G. S., and CALLOW, E. H. The osmotic pressure of concentrated solutions of gelatin in equilibrium with solutions of magnesium chloride, 819

ANSON, M. L., and MIRSKY, A. E. Protein coagulation and its reversal. The preparation of completely coagulated hemoglobin, 121

— and —. Protein coagulation and its reversal. The preparation of insoluble globin, soluble globin, and heme, 469

—. See MIRSKY and ANSON, 133, 477

BARRON, E. S. GUZMAN, and HOFFMAN, L. A. The catalytic effect of dyes on the oxygen consumption of living cells, 483

BAUER, PAUL S. The validity of minimal principles in physiology, 617

BETHE, ALBRECHT. The permeability of the surface of marine animals, 437

BLINKS, L. R. The direct current resistance of *Nitella*, 495

—. The direct current resistance of *Valonia*, 361

—. Protoplasmic potentials in *Halicystis*, 223

BLINKS, L. R. The variation of electrical resistance with applied potential. I. Intact *Valonia ventricosa*, 793

— and JACQUES, A. G. The cell sap of *Halicystis*, 733

BOOR, ALDEN KINNEY. A crystallographic study of pure carbon monoxide hemoglobin, 307

BORSOOK, HENRY, and MACFADYEN, DOUGLAS A. The effect of isoelectric amino acids on the pH^+ of a phosphate buffer solution. A contribution in support of the "Zwitter Ion" hypothesis, 509

—, —, and WASTENEYS, HARDOLPH. The substrate in peptic synthesis of protein, 295

BRUEN, CURTIS. Variation of basal metabolic rate per unit surface area with age, 607

CALLOW, E. H. See ADAIR and CALLOW, 819

CASTLE, E. S. Phototropism and the light-sensitive system of *Phycomyces*, 421

CHASE, AURIN M., and GLASER, OTTO. Forward movement of paramecium as a function of the hydrogen ion concentration, 627

CROZIER, W. J., and PINCUS, G. Analysis of the geotropic orientation of young rats. I, 57

— and —. Analysis of the geotropic orientation of young rats. II, 81

DAMON, E. B. Dissimilarity of inner and outer protoplasmic surfaces in *Valonia*. II, 207
— and OSTERHOUT, W. J. V. The concentration effect with *Valonia*: potential differences with concentrated and diluted sea water, 445

EMERSON, ROBERT. Measurements of the metabolism of two protozoans, 153
—. On the behavior of nickel carbonate in relation to photosynthesis, 163
—. Some properties of the pigment of *Blepharisma*, 159

GATES, FREDERICK L. A study of the bactericidal action of ultraviolet light. I. The reaction to monochromatic radiations, 231
—. II. The effect of various environmental factors and conditions, 249
GATES, W. H. See MACDOWELL, GATES, and MACDOWELL, 529
GLASER, OTTO. See CHASE and GLASER, 627

HARRIS, E. S. See OSTERHOUT and HARRIS, 47
HARTLINE, H. KEFFER. The dark adaptation of the eye of *Limulus*, as manifested by its electric response to illumination, 379
HARVEY, E. NEWTON. A preliminary study of the reducing intensity of luminous bacteria, 13
HEMINGWAY, ALLAN. See MCCLENDON and HEMINGWAY, 621
HILL, S. E. See OSTERHOUT and HILL, 459, 547
HOFFMAN, L. A. See BARRON and HOFFMAN, 483

IRWIN, MARIAN. Spectrophotometric studies of penetration of dyes. VII. Dyes absorbed by a non-medullated nerve, 391

JACQUES, A. G., and OSTERHOUT, W. J. V. The kinetics of penetration. II. The penetration of CO_2 into *Valonia*, 695
—. See BLINKS and JACQUES, 733

KRUEGER, ALBERT P. A method for the quantitative determination of bacteriophage, 557
—. A method for the quantitative estimation of bacteria in suspensions, 553
— and RITTER, R. C. The preparation of a graded series of ultrafilters and measurement of their pore sizes, 409
— and TAMADA, H. T. The preparation of relatively pure bacteriophage, 145
KUNITZ, M. Elasticity, double refraction, and swelling of isoelectric gelatin, 565
—. See NORTHROP and KUNITZ, 781

LEWIS, W. C. M. See MOELWYN-HUGHES, PAGE, and LEWIS, 323
LILLIE, RALPH S. Resemblances between the electromotor variations of rhythmically reacting living and non-living systems, 1
LUCKÉ, BALDUIN. See MCCUTCHEON, MUDD, STRUMIA, and LUCKÉ, 669

MACDOWELL, C. G. See MACDOWELL, GATES, and MACDOWELL, 529

MacDowell, E. C., Gates, W. H., and MacDowell, C. G. The influence of the quantity of nutrition upon the growth of the suckling mouse, 529
MacFadyen, Douglas A. See Borsook and MacFadyen, 509
—. See Borsook, MacFadyen, and Wasteneys, 295
Marshall, W. H. Heating of simple solutions and emulsions exposed to high frequency high potential electrostatic fields, 637
McClendon, J. F., and Hemingway, Allan. Variations in the polarization capacity and resistance of the skin, 621
McCutcheon, Morton, Mudd, Stuart, Strumia, Max, and Lucké, Balduin. On the mechanism of opsonin and bacteriotropin action. IV. The isoelectric points of certain sensitized antigens, 669
Michaelis, L., and Salomon, K. Respiration of mammalian erythrocytes, 683
Mirsky, A. E., and Anson, M. L. Protein coagulation and its reversal. Improved methods for the reversal of the coagulation of hemoglobin, 477
— and —. Protein coagulation and its reversal. The reversal of the coagulation of hemoglobin, 133
—. See Anson and Mirsky, 121, 469
Moelwyn-Hughes, Emyr Alun. The enzymic hydrolysis of phlorhizin, 807
—. Note on the variation with temperature of the relative rates of hydrolysis of glucosides, 317
—, Pace, J., and Lewis, W. C. M. The kinetics of enzyme reactions: Schütz's law, 323
Mudd, Stuart. See McCutcheon, Mudd, Strumia, and Lucké, 669

Northrop, John H. Crystalline pepsin. I. Isolation and tests of purity, 739
—. II. General properties and experimental methods, 767
—. Unequal distribution of ions in a collodion cell, 21
—, and Kunitz, M. Solubility curves of mixtures and solid solutions, 781

Osterhout, W. J. V. Calculations of bioelectric potentials. I. Effects of KCl and NaCl on *Nitella*, 715
—. The kinetics of penetration. I. Equations for the entrance of electrolytes, 261
— and Harris, E. S. Note on the nature of the current of injury in tissues, 47
— and Hill, S. E. Negative variations in *Nitella* produced by chloroform and by potassium chloride, 459
— and —. Salt bridges and negative variations, 547
—. See Damon and Osterhout, 445
—. See Jacques and Osterhout, 695

Pace, J. See Moelwyn-Hughes, Pace, and Lewis, 323
Pincus, G. See Crozier and Pincus, 57, 81
Preisler, Paul W. Oxidation-reduction potentials and the possible respiratory significance of the pigment of the nudibranch *Chromodoris zebra*, 349

Rahn, Otto. The non-logarithmic order of death of some bacteria, 395
—. The size of bacteria as the cause of the logarithmic order of death, 179
Ritter, R. C. See Krueger and Ritter, 409

SALOMON, K. See MICHAELIS and SALOMON, 683
SCHREINEMAKERS, F. A. H. Osmosis of liquids. III, 335
SHOUP, CHARLES S. The respiration of luminous bacteria and the effect of oxygen tension upon oxygen consumption, 27
STRUMIA, MAX. See MCCUTCHEON, MUDD, STRUMIA, and LUCKÉ, 669
TAMADA, H. T. See KRUEGER and TAMADA, 145
UPTON, MORGAN. The geotropic conduct of young guinea pigs, 647
WASTENEYS, HARDOLPH. See BORSOOK, MACFADYEN, and WASTENEYS, 295

INDEX TO SUBJECTS

ACIDS, amino, isoelectric, effect on hydrogen ion concentration of phosphate buffer solution, 509
Adsorption of serum proteins by quartz and paraffin oil in electrokinetic phenomena, 169
Age, variation of basal metabolic rate per unit surface area with, 607
Amino acids, isoelectric, effect on hydrogen ion concentration of phosphate buffer solution, 509
Antigens, sensitized, isoelectric points, 669

BACTERIA, luminous, reducing intensity, 13
—, —, respiration, and effect of oxygen tension upon oxygen consumption, 27
—, method for quantitative estimation in suspensions, 553
—, non-logarithmic order of death, 395
—, size as cause of logarithmic order of death, 179
Bactericidal action of ultra-violet light, 231, 249
Bacteriophage, method for quantitative determination, 557
—, relatively pure, preparation, 145
Bacteriotropin and opsonin action, mechanism, 669
Bioelectric potentials, calculations, 715
Blepharisma, pigment, properties of, 159
Buffer solution, phosphate, hydrogen ion concentration, effect of isoelectric amino acids, 509

CARBON dioxide, penetration into *Valonia*, 695
— monoxide hemoglobin, pure, crystallographic study, 307
Catalytic effect of dyes on oxygen consumption of living cells, 483
Cataphoresis, mobility, factor of proportionality for, 657
Cell, collodion, unequal distribution of ions in, 21
— sap of *Halicystis*, 733
Cells, living, catalytic effect of dyes on oxygen consumption, 483
Chloroform, negative variations in *Nitella* produced by, 459
Chromodoris zebra, pigment, possible respiratory significance, 349
Coagulated hemoglobin, preparation, 121
Coagulation, hemoglobin, improved methods for reversal, 477
—, —, reversal, 133
—, protein, and its reversal, 121, 133, 469, 477
Collodion cell, unequal distribution of ions in, 21
Concentration effect with *Valonia*, 445
Crystal structure of pure carbon monoxide hemoglobin, 307

DEATH, bacteria, non-logarithmic order, 395
—, logarithmic order, size of bacteria as cause, 179
Dyes absorbed by non-medullated nerve, 391
—, catalytic effect on oxygen consumption of living cells, 483
—, spectrophotometric studies of penetration, 391

ELASTICITY of isoelectric gelatin, 565
Electrical resistance, variation, of intact *Valonia ventricosa* with applied potentials, 793
Electricity, current of injury in tissues, 47
—, dark adaptation of eye of *Limulus* as manifested by electric response to illumination, 379
—, direct current resistance of *Nitella*, 495
—, — — — of *Valonia*, 361
—, salt bridges and negative variation, 547
Electroendosmosis, mobility, factor of proportionality for, 657
Electrokinesis, 169, 657
Electrolytes, equations for penetration, 261
Electromotor variations, resemblances between rhythmically reacting living and non-living systems, 1
Electrostatic fields of high frequency and high potential, heating of simple solutions and emulsions exposed to, 637
Environment, effect on bactericidal action of ultra-violet light, 249
Enzyme reactions, kinetics of, and Schütz' law, 323
Enzymic hydrolysis of phlorhizin, 807
Erythrocytes, mammalian, respiration, 683
Eye of *Limulus*, dark adaptation as manifested by electric response to illumination, 379

GELATIN, isoelectric, double refraction, 565
—, —, elasticity, 565
—, —, swelling, 565
—, solutions, concentrated, osmotic pressure of, in equilibrium with solutions of magnesium chloride, 819
Geotropism, of young guinea pigs, 647
—, orientation of young rats, 57, 81
Globin, insoluble, preparation, 469
—, soluble, preparation, 469
Glucosides, hydrolysis, relative rates, variation with temperature, 317
Growth of suckling mouse, influence of quantity of nutrition, 529

HALICYSTIS, cell sap, 733
—, protoplasmic potentials, 223
Heme, preparation, 469
Hemoglobin, coagulation, improved methods for reversal, 477
—, —, reversal, 133
—, completely coagulated, preparation, 121
—, pure carbon monoxide, crystallographic study, 307
Hydrogen ion concentration, forward movement of paramecium as function of, 627
— — —, phosphate buffer solution, effect of isoelectric amino acids, 509

ILLUMINATION, electric response to, dark adaptation of eye of *Limulus* as manifested by, 379
Injury, current, in tissues, 47
Ion, hydrogen, concentration, forward movement of paramecium as function of, 627
—, —, —, of phosphate buffer solution, effect of isoelectric amino acids, 509
—, Zwitter, hypothesis, 509
Ions, unequal distribution in a collodion cell, 21
Isoelectric amino acids, effect on hydrogen ion concentration of phosphate buffer solution, 509
— gelatin, double refraction, 565
— —, elasticity, 565
— —, swelling, 565
— points of certain sensitized antigens, 669

KINETICS of enzyme reactions and Schütz' law, 323
— — penetration, 261, 695

LIGHT-SENSITIVE system of *Phycomyces*, 421
Light, ultra-violet, bactericidal action, 231, 249
Limulus, eye, dark adaptation as manifested by electric response to illumination, 379
Liquid, osmosis, 335
Luminous bacteria, reducing intensity, 13
— —, respiration, and effect of oxygen tension upon oxygen consumption, 27

MAGNESIUM chloride solutions, osmotic pressure of concentrated solutions of gelatin in equilibrium with, 819
Mammal, respiration of erythrocytes, 683
Metabolism, basal, rate, variation per unit surface area with age, 607
— of two protozoans, measurements, 153
Mixtures, solubility curves, 781
Monochromatic radiations, reaction to, 231

NERVE, non-medullated, dyes absorbed by, 391
Nickel carbonate, behavior in relation to photosynthesis, 163
Nitella, direct current resistance, 495
—, effects of potassium chloride and sodium chloride in calculations of bioelectric potentials, 715
—, negative variations produced by chloroform, 459
—, — — — by potassium chloride, 459
Nudibranch, *Chromodoris zebra*, pigment, possible respiratory significance, 349
Nutrition, quantity, influence on growth of suckling mouse, 529

OIL, paraffin, adsorption of serum proteins by, 169
Opsonin and bacteriotropin action, mechanism, 669
Orientation, geotropic, of young rats, 57, 81
Osmosis, liquid, 335
—, pressure, of concentrated solutions of gelatin in equilibrium with solutions of magnesium chloride, 819
Oxidation-reduction potentials and possible respiratory significance of pigment of nudibranch *Chromodoris zebra*, 349
Oxygen consumption of living cells, catalytic effect of dyes, 483
— — — luminous bacteria, effect of oxygen tension, 27
— tension, effect upon oxygen consumption of luminous bacteria, 27

PARAFFIN oil, adsorption of serum proteins by, 169
Paramecium, forward movement as function of hydrogen ion concentration, 627
Penetration, dye, spectrophotometric studies, 391
—, kinetics, 261, 695
— of carbon dioxide into *Valonia*, 695
Pepsin, crystalline, general properties and experimental methods, 767
—, —, isolation and tests of purity, 739
—, synthesis of protein, substrate in, 295
Permeability of surface of marine animals, 437
Phlorhizin, enzymic hydrolysis, 807
Phosphate buffer solution, hydrogen ion concentration, effect of isoelectric amino acids, 509

Photosynthesis, behavior of nickel carbonate in relation to, 163
Phototropism and light-sensitive system of *Phycomyces*, 421
Phycomyces, light-sensitive system, 421
—, phototropism, 421
Physiology, validity of minimal principles in, 617
Pigment of *Blepharisma*, properties of, 159
— — nudibranch *Chromodoris zebra*, possible respiratory significance, 349
Polarization, capacity and resistance of skin, variations, 621
Potassium chloride, effects on *Nitella*, in calculations of bioelectric potentials, 715
— —, negative variations in *Nitella* produced by, 459
Potential, applied, variation of electrical resistance of intact *Valonia ventricosa* with, 793
— differences in *Valonia* with concentrated sea water, 445
— — — — with diluted sea water, 445
—, high, and high frequency electrostatic fields, heating of simple solutions and emulsions exposed to, 637
Potentials, bioelectric, calculations, 715
—, protoplasmic, in *Halicystis*, 223
Protein coagulation and its reversal, 121, 133, 469, 477
—, peptic synthesis, substrate in, 295
Proteins, serum, adsorption by paraffin oil, 169
—, —, — — quartz, 169
Protoplasm, inner and outer surfaces, dissimilarity in *Valonia*, 207
—, potentials, in *Halicystis*, 223
Protozoons, two, metabolism measurements, 153

QUARTZ, adsorption of serum proteins by, 169

RADIATIONS, monochromatic, reaction to, 231
Reduction intensity of luminous bacteria, 13
Reduction-oxidation potentials and possible respiratory significance of pigment of nudibranch *Chromodoris zebra*, 349
Refraction, double, of isoelectric gelatin, 565
Respiration of luminous bacteria and effect of oxygen tension upon oxygen consumption, 27
— — mammalian erythrocytes, 683
Respiratory significance of pigment of nudibranch *Chromodoris zebra*, 349

SALT bridges and negative variations, 547
Sap, cell, of *Halicystis*, 733
Schütz' law and kinetics of enzyme reactions, 323
Sea water, concentrated, potential differences in *Valonia* with, 445
— —, diluted, potential differences in *Valonia* with, 445
Sensitivity of *Phycomyces* to light, 421
Sensitized antigens, isoelectric points, 669
Serum proteins, adsorption by paraffin oil, 169
— —, — — quartz, 169
Skin, variations in polarization capacity and resistance, 621
Sodium chloride, effects on *Nitella*, in calculations of bioelectric potentials, 715
Solid solutions, solubility curves, 781
Solubility curves of mixtures and solid solutions, 781

Solutions, solid, solubility curves, 781
Spectrophotometric studies of penetration of dyes, 391
Swelling of isoelectric gelatin, 565

TEMPERATURE, variation with, of relative rates of hydrolysis of glucosides, 317
Tissues, current of injury in, 47

ULTRAFILTERS, measurement of pore sizes, 409
—, preparation of graded series, 409
Ultra-violet light, bactericidal action, 231, 249

VALONIA, concentration effect with, 445
—, direct current resistance, 361
—, dissimilarity of inner and outer protoplasmic surfaces, 207
—, penetration of carbon dioxide into, 695
— *ventricosa*, intact, variation of electrical resistance with applied potential, 793

WATER, sea, concentrated, potential differences in *Valonia* with, 445
— —, diluted, potential differences in *Valonia* with, 445

ZWITTER ion hypothesis, 509